

ANALYTICAL REPORT

PREPARED FOR

Attn: Mike Zonin
Tribeca Beverages
23 Carol Street
Clifton, New Jersey 07014

Generated 3/22/2024 10:20:53 AM

JOB DESCRIPTION

50-State Annual Test

JOB NUMBER

380-84261-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

The report format being provided is not compliant with TNI (The NELAC Institute) Standards, and is a client-specific format

Authorization



Authorized for release by
Jeannette Gutierrez, Project Manager I
Jeannette.Gutierrez@et.eurofinsus.com
(626)386-1100

Generated
3/22/2024 10:20:53 AM

Case Narrative

Client: Tribeca Beverages
Project: 50-State Annual Test

Job ID: 380-84261-1

Job ID: 380-84261-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-84261-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 2/22/2024 10:15 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 14.1°C.

Subcontract Work

Method Asbestos: This method was subcontracted to Eurofins CEI Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Dioxin

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.8_SDWA: The continuing calibration blank (CCB) for analytical batch 380-78687 contained Silver above the detection limit. All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gas Flow Proportional Counter

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Liquid Scintillation Counter

Method LSC_Rn222: Radon-222 Prep Batch 160-649987:

The sample is finished bottled water in final packaging - the time the bottle is opened for sampling is assigned as the collection

Eurofins Eaton Analytical Pomona

Case Narrative

Client: Tribeca Beverages
Project: 50-State Annual Test

Job ID: 380-84261-1

Job ID: 380-84261-1 (Continued)

Eurofins Eaton Analytical Pomona

date/time. Any headspace in the bottle is assumed to be a part of the water delivery system.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Biology

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Sample Summary

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
380-84261-1	BL-1	Bottled Water	02/19/24 10:10	02/22/24 10:15

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Lab Sample ID: 380-84261-1

Date Collected: 02/19/24 10:10

Matrix: Bottled Water

Date Received: 02/22/24 10:15

Method: 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	5.9		0.50		ug/L		02/29/24 21:07	1	YXX2

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,1,1-Trichloroethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,1,2,2-Tetrachloroethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,1,2-Trichloroethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,1-Dichloroethylene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,1-Dichloroethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,1-Dichloropropene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,2,3-Trichlorobenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,2,3-Trichloropropane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,2,4-Trichlorobenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,2,4-Trimethylbenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,2-Dichloroethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,2-Dichloropropane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,3,5-Trimethylbenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
1,3-Dichloropropane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
2,2-Dichloropropane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
2-Butanone (MEK)	<5.0		5.0		ug/L		02/29/24 21:07	1	Q6AD
2-Hexanone	<10		10		ug/L		02/29/24 21:07	1	Q6AD
Benzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Bromobenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Bromochloromethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Bromodichloromethane	0.88		0.50		ug/L		02/29/24 21:07	1	Q6AD
Bromoethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Bromoform	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Bromomethane (Methyl Bromide)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Carbon disulfide	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Carbon tetrachloride	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Chlorobenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Chloroethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Chloroform (Trichloromethane)	5.0		0.50		ug/L		02/29/24 21:07	1	Q6AD
Chloromethane (methyl chloride)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
cis-1,2-Dichloroethylene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
cis-1,3-Dichloropropene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Dibromochloromethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Dibromomethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Dichlorodifluoromethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Dichloromethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Diisopropyl ether	<3.0		3.0		ug/L		02/29/24 21:07	1	Q6AD
Ethylbenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Hexachlorobutadiene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Isopropylbenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
m,p-Xylenes	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
m-Dichlorobenzene (1,3-DCB)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Methyl-tert-butyl Ether (MTBE)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Naphthalene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
n-Butylbenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Lab Sample ID: 380-84261-1

Date Collected: 02/19/24 10:10

Matrix: Bottled Water

Date Received: 02/22/24 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
N-Propylbenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
o-Chlorotoluene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
o-Dichlorobenzene (1,2-DCB)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
o-Xylene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
p-Chlorotoluene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
p-Dichlorobenzene (1,4-DCB)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
p-Isopropyltoluene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
sec-Butylbenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Styrene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Tert-amyl methyl ether	<3.0		3.0		ug/L		02/29/24 21:07	1	Q6AD
Tert-butyl ethyl ether	<3.0		3.0		ug/L		02/29/24 21:07	1	Q6AD
tert-Butylbenzene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Tetrachloroethene (PCE)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Toluene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
trans-1,2-Dichloroethylene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
trans-1,3-Dichloropropene	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Trichloroethylene (TCE)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Trichlorofluoromethane (Freon 11)	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Trichlorotrifluoroethane	<0.50		0.50		ug/L		02/29/24 21:07	1	Q6AD
Vinyl Chloride (VC)	<0.30		0.30		ug/L		02/29/24 21:07	1	Q6AD

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	105		70 - 130	02/29/24 21:07	1	Q6AD
4-Bromofluorobenzene (Surr)	89		70 - 130	02/29/24 21:07	1	Q6AD
Toluene-d8 (Surr)	97		70 - 130	02/29/24 21:07	1	Q6AD

Method: 522 - 1,4 Dioxane (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,4-Dioxane	<0.070		0.070		ug/L		03/05/24 14:53	1	X8AA

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,4-Dioxane-d8 (Surr)	92		70 - 130	03/05/24 14:53	1	X8AA

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4'-DDD	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
2,4'-DDE	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
2,4'-DDT	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
2,4-Dinitrotoluene	<0.097	*1	0.097		ug/L		02/29/24 20:14	1	UPAC
2,6-Dinitrotoluene	<0.097	*1	0.097		ug/L		02/29/24 20:14	1	UPAC
4,4'-DDD	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
4,4'-DDE	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
4,4'-DDT	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Acenaphthene	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Acenaphthylene	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Acetochlor	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Alachlor (Alanex)	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
alpha-BHC	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
alpha-Chlordane	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Anthracene	<0.019		0.019		ug/L		02/29/24 20:14	1	UPAC

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Lab Sample ID: 380-84261-1

Date Collected: 02/19/24 10:10

Matrix: Bottled Water

Date Received: 02/22/24 10:15

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Atrazine	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Benz(a)anthracene	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Benzo[a]pyrene	<0.019		0.019		ug/L		02/29/24 20:14	1	UPAC
Benzo[b]fluoranthene	<0.019		0.019		ug/L		02/29/24 20:14	1	UPAC
Benzo[g,h,i]perylene	<0.048	*1	0.048		ug/L		02/29/24 20:14	1	UPAC
Benzo[k]fluoranthene	<0.019		0.019		ug/L		02/29/24 20:14	1	UPAC
beta-BHC	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Bis(2-ethylhexyl) phthalate	<0.58		0.58		ug/L		02/29/24 20:14	1	UPAC
Bromacil	<0.097	*1	0.097		ug/L		02/29/24 20:14	1	UPAC
Butachlor	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Butylbenzylphthalate	<0.48		0.48		ug/L		02/29/24 20:14	1	UPAC
Caffeine	<0.048	*1	0.048		ug/L		02/29/24 20:14	1	UPAC
Chlorobenzilate	<0.097	*1	0.097		ug/L		02/29/24 20:14	1	UPAC
Chloroneb	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Chlorothalonil (Draconil, Bravo)	<0.097	*1	0.097		ug/L		02/29/24 20:14	1	UPAC
Chlorpyrifos	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Chrysene	<0.019		0.019		ug/L		02/29/24 20:14	1	UPAC
delta-BHC	<0.097	*1	0.097		ug/L		02/29/24 20:14	1	UPAC
Di(2-ethylhexyl)adipate	<0.58		0.58		ug/L		02/29/24 20:14	1	UPAC
Diazinon (Qualitative)	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Dibenz(a,h)anthracene	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Diclorvos (DDVP)	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Dieldrin	<0.19		0.19		ug/L		02/29/24 20:14	1	UPAC
Diethylphthalate	<0.48		0.48		ug/L		02/29/24 20:14	1	UPAC
Dimethoate	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Dimethylphthalate	<0.48		0.48		ug/L		02/29/24 20:14	1	UPAC
Di-n-butyl phthalate	<0.97	*1	0.97		ug/L		02/29/24 20:14	1	UPAC
Di-n-octyl phthalate	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Endosulfan I (Alpha)	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Endosulfan II (Beta)	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Endosulfan sulfate	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Endrin	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Endrin aldehyde	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
EPTC	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Fluoranthene	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Fluorene	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
gamma-Chlordane	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Heptachlor	<0.039		0.039		ug/L		02/29/24 20:14	1	UPAC
Heptachlor epoxide (isomer B)	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Hexachlorobenzene	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Hexachlorocyclopentadiene	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Indeno[1,2,3-cd]pyrene	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Isophorone	<0.48		0.48		ug/L		02/29/24 20:14	1	UPAC
Lindane	<0.039		0.039		ug/L		02/29/24 20:14	1	UPAC
Malathion	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Methoxychlor	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Metolachlor	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Metribuzin	<0.048	*1	0.048		ug/L		02/29/24 20:14	1	UPAC
Molinate	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Date Collected: 02/19/24 10:10

Date Received: 02/22/24 10:15

Lab Sample ID: 380-84261-1

Matrix: Bottled Water

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Naphthalene	<0.29		0.29		ug/L		02/29/24 20:14	1	UPAC
Parathion	<0.097	*1	0.097		ug/L		02/29/24 20:14	1	UPAC
Pendimethalin (Penoxaline)	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Phenanthrene	<0.039		0.039		ug/L		02/29/24 20:14	1	UPAC
Propachlor	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Pyrene	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Simazine	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Terbacil	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Terbutylazine	<0.097		0.097		ug/L		02/29/24 20:14	1	UPAC
Thiobencarb	<0.19		0.19		ug/L		02/29/24 20:14	1	UPAC
Total Permethrin (mixed isomers)	<0.19		0.19		ug/L		02/29/24 20:14	1	UPAC
trans-Nonachlor	<0.048		0.048		ug/L		02/29/24 20:14	1	UPAC
Trifluralin	<0.097	*1	0.097		ug/L		02/29/24 20:14	1	UPAC

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2-Nitro-m-xylene	92		70 - 130	02/29/24 20:14	1	UPAC
Perylene-d12	105		70 - 130	02/29/24 20:14	1	UPAC
Triphenylphosphate	87		70 - 130	02/29/24 20:14	1	UPAC

Method: 548.1 - Endothall (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Endothall	<5.0		5.0		ug/L		03/08/24 09:46	1	X8AA

Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,2,3-Trichloropropane	<0.020		0.020		ug/L		02/29/24 03:56	1	LZ8Q
1,2-Dibromo-3-Chloropropane	<0.010		0.010		ug/L		02/29/24 03:56	1	LZ8Q
1,2-Dibromoethane	<0.010		0.010		ug/L		02/29/24 03:56	1	LZ8Q

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dibromopropane (Surr)	93		60 - 140	02/29/24 03:56	1	LZ8Q

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Alachlor (Alanex)	<0.10		0.10		ug/L		02/29/24 20:46	1	ULRL
Aldrin	<0.010		0.010		ug/L		02/29/24 20:46	1	ULRL
Chlordane	<0.10		0.10		ug/L		02/29/24 20:46	1	ULRL
Dieldrin	<0.010		0.010		ug/L		02/29/24 20:46	1	ULRL
Endrin	<0.010		0.010		ug/L		02/29/24 20:46	1	ULRL
Heptachlor	<0.010		0.010		ug/L		02/29/24 20:46	1	ULRL
Heptachlor epoxide (isomer B)	<0.010		0.010		ug/L		02/29/24 20:46	1	ULRL
Lindane	<0.010		0.010		ug/L		02/29/24 20:46	1	ULRL
Methoxychlor	<0.050		0.050		ug/L		02/29/24 20:46	1	ULRL
PCB-1016	<0.070		0.070		ug/L		02/29/24 20:46	1	ULRL
PCB-1221	<0.10		0.10		ug/L		02/29/24 20:46	1	ULRL
PCB-1232	<0.10		0.10		ug/L		02/29/24 20:46	1	ULRL
PCB-1242	<0.10		0.10		ug/L		02/29/24 20:46	1	ULRL
PCB-1248	<0.10		0.10		ug/L		02/29/24 20:46	1	ULRL
PCB-1254	<0.10		0.10		ug/L		02/29/24 20:46	1	ULRL
PCB-1260	<0.070		0.070		ug/L		02/29/24 20:46	1	ULRL
Polychlorinated biphenyls, Total	<0.10		0.10		ug/L		02/29/24 20:46	1	ULRL

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Lab Sample ID: 380-84261-1

Date Collected: 02/19/24 10:10

Matrix: Bottled Water

Date Received: 02/22/24 10:15

Method: 505 - Organochlorine Pesticides/PCBs (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Toxaphene	<0.50		0.50		ug/L		02/29/24 20:46	1	ULRL
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
Tetrachloro-m-xylene	89		70 - 130				02/29/24 20:46	1	ULRL

Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	<0.20		0.20		ug/L		03/09/24 13:27	1	K9GY
2,4,5-TP (Silvex)	<0.20		0.20		ug/L		03/09/24 13:27	1	K9GY
2,4-D	<0.10		0.10		ug/L		03/09/24 13:27	1	K9GY
2,4-DB	<2.0		2.0		ug/L		03/09/24 13:27	1	K9GY
3,5-Dichlorobenzoic acid	<0.50		0.50		ug/L		03/09/24 13:27	1	K9GY
Acifluorfen	<0.20		0.20		ug/L		03/09/24 13:27	1	K9GY
Bentazon	<0.50		0.50		ug/L		03/09/24 13:27	1	K9GY
Dalapon	<1.0		1.0		ug/L		03/09/24 13:27	1	K9GY
Dicamba	<0.10		0.10		ug/L		03/09/24 13:27	1	K9GY
Dichlorprop	<0.50		0.50		ug/L		03/09/24 13:27	1	K9GY
Dinoseb	<0.20		0.20		ug/L		03/09/24 13:27	1	K9GY
Pentachlorophenol	<0.040		0.040		ug/L		03/09/24 13:27	1	K9GY
Picloram	<0.10		0.10		ug/L		03/09/24 13:27	1	K9GY
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
2,4-Dichlorophenylacetic acid (Surr)	102		70 - 130				03/09/24 13:27	1	K9GY
2,4-Dichlorophenylacetic acid (Surr)	92		70 - 130				03/09/24 13:27	1	K9GY

Method: 6251B - Haloacetic Acids (HAAs) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromochloroacetic acid	<1.0		1.0		ug/L		03/08/24 01:55	1	WE3W
Dibromoacetic acid	<1.0		1.0		ug/L		03/08/24 01:55	1	WE3W
Dichloroacetic acid	<1.0		1.0		ug/L		03/08/24 01:55	1	WE3W
Monobromoacetic acid	<1.0		1.0		ug/L		03/08/24 01:55	1	WE3W
Monochloroacetic acid	<2.0		2.0		ug/L		03/08/24 01:55	1	WE3W
Trichloroacetic acid	<1.0		1.0		ug/L		03/08/24 01:55	1	WE3W
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
2,3-Dibromopropionic acid	103		70 - 130				03/08/24 01:55	1	WE3W

Method: 6251B - Total Haloacetic Acids (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Total Haloacetic Acids 5	<2.0		2.0		ug/L		03/08/24 01:55	1	YXX2

Method: 218.6 - Chromium, Hexavalent (Ion Chromatography)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Hexavalent Chromium (CrVI)	<0.020		0.020		ug/L		02/28/24 18:02	1	YHP7

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	1.4		0.50		mg/L		02/27/24 20:31	1	VB9B
Chlorite	<10		10		ug/L		02/27/24 20:33	1	UNJR
Nitrate as N	<0.050		0.050		mg/L		02/27/24 20:31	1	VB9B
Nitrite as N	<0.050		0.050		mg/L		02/27/24 20:31	1	VB9B

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Lab Sample ID: 380-84261-1

Date Collected: 02/19/24 10:10

Matrix: Bottled Water

Date Received: 02/22/24 10:15

Method: 300.0 - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Sulfate	<0.25		0.25		mg/L		02/27/24 20:31	1	VB9B

Method: 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate Nitrite as N	<0.050		0.050		mg/L		02/27/24 20:31	1	C4WQ

Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	<1.0		1.0		ug/L		03/08/24 14:33	1	UNJR

Method: 531.2 - Carbamate Pesticides (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
3-Hydroxycarbofuran	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Aldicarb	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Aldicarb sulfone	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Aldicarb sulfoxide	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Baygon	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Carbaryl	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Carbofuran	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Methiocarb	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Methomyl	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM
Oxamyl	<0.50		0.50		ug/L		03/12/24 02:03	1	Q6XM

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
BDMC	115		70 - 130	03/12/24 02:03	1	Q6XM

Method: 547 - Glyphosate (DAI HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Glyphosate	<6.0		6.0		ug/L		03/01/24 15:45	1	UD4M

Method: 549.2 - Diquat and Paraquat (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Diquat	<0.40		0.40		ug/L		02/29/24 13:22	1	UD4M
Paraquat	<2.0		2.0		ug/L		02/29/24 13:22	1	UD4M

Method: 331.0 - Perchlorate (LC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Perchlorate	<0.50		0.50		ug/L		03/03/24 04:40	1	UKDT

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
N-ethylperfluorooctanesulfonamidoac etic acid (NEtFOSAA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
N-methylperfluorooctanesulfonamidoa cetic acid (NMeFOSAA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Lab Sample ID: 380-84261-1

Date Collected: 02/19/24 10:10

Matrix: Bottled Water

Date Received: 02/22/24 10:15

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorodecanoic acid (PFDA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorododecanoic acid (PFDoA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorohexanoic acid (PFHxA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorononanoic acid (PFNA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorooctanoic acid (PFOA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluorotridecanoic acid (PFTTrDA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0		ng/L		02/28/24 23:46	1	R6YA

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
13C2 PFDA	120		70 - 130	02/28/24 23:46	1	R6YA
13C2 PFHxA	124		70 - 130	02/28/24 23:46	1	R6YA
13C3-GenX	116		70 - 130	02/28/24 23:46	1	R6YA
d5-NEtFOSAA	125		70 - 130	02/28/24 23:46	1	R6YA

Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,3,7,8-TCDD	<4.8		4.8		pg/L		03/05/24 22:08	1	X8AA
Isotope Dilution	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
13C-2,3,7,8-TCDD	83		31 - 137				03/05/24 22:08	1	X8AA

Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Iron	<0.010		0.010		mg/L		02/27/24 16:27	1	T8RV
Sodium	1.4		1.0		mg/L		02/27/24 16:27	1	T8RV
Calcium	1.4		1.0		mg/L		02/27/24 16:27	1	T8RV
Magnesium	0.53		0.10		mg/L		02/27/24 16:27	1	T8RV

Method: 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Hg	<0.20		0.20		ug/L		02/27/24 13:39	1	AAE8

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Aluminum	<20		20		ug/L		02/27/24 13:39	1	AAE8
Antimony	<1.0		1.0		ug/L		02/27/24 13:39	1	AAE8
Arsenic	<1.0		1.0		ug/L		02/27/24 13:39	1	AAE8
Barium	<2.0		2.0		ug/L		02/27/24 13:39	1	AAE8
Beryllium	<1.0		1.0		ug/L		02/27/24 13:39	1	AAE8
Cadmium	<0.50		0.50		ug/L		02/27/24 13:39	1	AAE8
Chromium	<1.0		1.0		ug/L		02/27/24 13:39	1	AAE8
Copper	<2.0		2.0		ug/L		02/27/24 13:39	1	AAE8
Lead	<0.50		0.50		ug/L		02/27/24 13:39	1	AAE8
Manganese	<2.0		2.0		ug/L		02/27/24 13:39	1	AAE8
Nickel	<5.0		5.0		ug/L		02/27/24 13:39	1	AAE8
Selenium	<5.0		5.0		ug/L		02/27/24 13:39	1	AAE8

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Lab Sample ID: 380-84261-1

Date Collected: 02/19/24 10:10

Matrix: Bottled Water

Date Received: 02/22/24 10:15

Method: 200.8 - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Silver	<0.50	^2	0.50		ug/L		02/27/24 13:39	1	AAE8
Thallium	<1.0		1.0		ug/L		02/27/24 13:39	1	AAE8
Uranium	<1.0		1.0		ug/L		02/27/24 13:39	1	AAE8
Zinc	<20		20		ug/L		02/27/24 13:39	1	AAE8
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Uranium	<0.67		0.67		pCi/L		02/27/24 13:39	1	AAE8

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hardness (as CaCO3)	5.8		3.0		mg/L		02/28/24 12:59	1	T8RV
Calcium hardness as CaCO3	3.6		2.5		mg/L		02/28/24 12:59	1	T8RV
Magnesium hardness as calcium carbonate	2.2		0.80		mg/L		02/28/24 12:59	1	T8RV

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity	0.20		0.10		NTU		02/26/24 16:48	1	PK4Q
Phenols, Total	<1.0		1.0		ug/L		02/27/24 16:36	1	LQ3M
Chlorine	<0.050	HF	0.050		mg/L		02/28/24 16:27	1	TJ52
Cyanide	<0.025		0.025		mg/L		02/28/24 10:32	1	PK4Q
Alkalinity as CaCO3	5.9		2.0		mg/L		02/28/24 01:28	1	GP4S
Bicarbonate Alkalinity as CaCO3	5.9		2.0		mg/L		02/28/24 01:28	1	GP4S
Carbonate Alkalinity as CaCO3	<2.0		2.0		mg/L		02/28/24 01:28	1	GP4S
Hydroxide Alkalinity as CaCO3	<2.0		2.0		mg/L		02/28/24 01:28	1	GP4S
Total Dissolved Solids	<10		10		mg/L		02/27/24 13:14	1	D2MW
Chloramines, Total	<0.050	HF	0.050		mg/L		02/28/24 16:10	1	TJ52
Fluoride	<0.050		0.050		mg/L		02/27/24 18:57	1	GP4S
Methylene Blue Active Substances	<0.10		0.10		mg/L		02/27/24 15:55	1	MH2L
Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chlorine dioxide	<0.24	HF	0.24		mg/L		02/28/24 16:28	1	TJ52
Color, Apparent	<2.0		2.0		Color Units		02/26/24 14:45	1	UFU5
Odor	<1.0		1.0		T.O.N.		02/26/24 12:52	1	MQP5
pH	7.1	HF	0.01		SU		02/28/24 01:28	1	GP4S

Method: 900.0 - Gross Alpha and Gross Beta Radioactivity

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Gross Alpha	-0.0312	U	0.535	0.535	3.00	0.639	pCi/L	03/04/24 14:42	1	SCB
Gross Beta	0.262	U	0.460	0.461	4.00	0.473	pCi/L	03/04/24 14:42	1	SCB

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-226	0.0449	U	0.0855	0.0856	1.00	0.0977	pCi/L	03/13/24 09:27	1	SWS
Carrier	%Yield	Qualifier	Limits					Analyzed	Dil Fac	Analyst
Ba Carrier	103		30 - 110					03/13/24 09:27	1	SWS

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Client Sample ID: BL-1

Lab Sample ID: 380-84261-1

Date Collected: 02/19/24 10:10

Matrix: Bottled Water

Date Received: 02/22/24 10:15

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-228	0.151	U	0.262	0.263	1.00	0.274	pCi/L	03/11/24 11:58	1	FLC
Carrier	%Yield	Qualifier	Limits					Analyzed	Dil Fac	Analyst
Ba Carrier	103		30 - 110					03/11/24 11:58	1	FLC
Y Carrier	86.7		30 - 110					03/11/24 11:58	1	FLC

Method: Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Combined Radium 226 + 228	0.196	U	0.276	0.277	5.00	0.274	pCi/L	03/15/24 11:08	1	SCB

Method: SM 7500-Rn B - Radon-222 (LSC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radon 222	5.08	U	9.47	9.48	30.0	16.1	pCi/L	02/27/24 22:48	1	REV

Method: 9215B - Heterotrophic Plate Count

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Heterotrophic Plate Count	43		1		CFU/mL		02/26/24 15:30	1	ZE3N

Method: 9223B - Coliforms, Total, and E.Coli (Colilert - Quanti Tray)

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Coliform, Total	<1.0		1.0		MPN/100mL		02/26/24 18:10	1	D3KN
E. Coli	<1.0		1.0		MPN/100mL		02/26/24 18:10	1	D3KN

Accreditation/Certification and Definitions Summary

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Laboratory: Eurofins Eaton Analytical Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-25
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	2-Hexanone
524.2		Bottled Water	Bromoethane
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO ₃
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO ₃
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO ₃
SM 2340B		Bottled Water	Calcium hardness as CaCO ₃
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-24
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	06-30-24
Connecticut	State	PH-0241	03-31-25
Florida	NELAP	E87689	06-30-24
HI - RadChem Recognition	State	n/a	06-30-24
Illinois	NELAP	200023	11-30-24

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Laboratory: Eurofins St. Louis (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Iowa	State	373	12-01-24
Kansas	NELAP	E-10236	10-31-24
Kentucky (DW)	State	KY90125	12-31-24
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-24
Louisiana	NELAP	04080	06-30-22 *
Louisiana (All)	NELAP	04080	06-30-24
Louisiana (DW)	State	LA011	12-31-24
Maryland	State	310	09-30-24
Massachusetts	State	M-MO054	06-30-24
MI - RadChem Recognition	State	9005	06-30-24
Missouri	State	780	06-30-25
Nevada	State	MO00054	07-31-24
New Jersey	NELAP	MO002	06-30-24
New Mexico	State	MO00054	06-30-24
New York	NELAP	11616	03-31-24
North Carolina (DW)	State	29700	07-31-24
North Dakota	State	R-207	06-30-24
Oklahoma	NELAP	9997	08-31-24
Oregon	NELAP	4157	09-01-24
Pennsylvania	NELAP	68-00540	02-28-25
South Carolina	State	85002001	06-30-24
Texas	NELAP	T104704193	07-31-24
US Fish & Wildlife	US Federal Programs	058448	07-31-24
USDA	US Federal Programs	P330-17-00028	05-18-26
Utah	NELAP	MO00054	07-31-24
Virginia	NELAP	10310	06-15-25
Washington	State	C592	08-30-24
West Virginia DEP	State	381	10-31-24

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.

Metals

Qualifier	Qualifier Description
^2	Calibration Blank (ICB and/or CCB) is outside acceptance limits.

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Tribeca Beverages
Project/Site: 50-State Annual Test

Job ID: 380-84261-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

**941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100**

W240548

Chain of Custody Record



W6001 ①

Environment Testing

[illegible]

March 7, 2024

Eurofins Eaton Analytical
941 Corporate Center Drive
Pomona, CA 91768

CLIENT PROJECT: 50-State Annual Test, 38005087, 380-84261-1
LAB CODE: W240548


Dear Customer:

Enclosed are asbestos analysis results for TEM drinking water samples received at our laboratory on February 27, 2024. The samples were analyzed for asbestos using transmission electron microscopy (TEM) per the US EPA 100.2 Method.

The current EPA regulatory limit for asbestos in drinking water is 7 million fibers per liter (MFL, > 10 μm in length). The analytical sensitivity for the EPA 100.2 method is 0.2 MFL.

Thank you for your business and we look forward to continuing good relations.

Kind Regards,



Tianbao Bai, Ph.D., CIH
Laboratory Director

ASBESTOS ANALYTICAL REPORT
By: Transmission Electron Microscopy

Prepared for
Eurofins Eaton Analytical

CLIENT PROJECT: 50-State Annual Test, 38005087, 380-84261-1

LAB CODE: W240548

TEST METHOD: EPA 100.2

REPORT DATE: 03/07/24



CEI

ASBESTOS IN DRINKING WATER ANALYSIS

By: TRANSMISSION ELECTRON MICROSCOPY

Client: Eurofins Eaton Analytical
941 Corporate Center Drive
Pomona, CA 91768

Time Collected: 10:10 AM
Time Received: 9:30 AM
Time Filtered: 10:40 AM
Time Analyzed: 1:26 PM
Avg Grid Opening Size: 0.0100 mm²

Lab Code: W240548
Date Collected: 02-19-24
Date Received: 02-27-24
Date Filtered: 03-05-24
Date Analyzed: 03-07-24
Date Reported: 03-07-24

Project: 50-State Annual Test, 38005087, 380-84261-1

TEM DRINKING WATER (EPA 100.2)

Client ID Lab ID	Sample Volume Filtered	Dilution Factor	Effective Filter Area (mm ²)	# Of Grid Openings Analyzed	Total Area of Filter Examined	Analytical Sensitivity (MFL)	Asbestos Type	Confidence Limit			
								>10 µm	Concentration (MFL)	Lower	Upper

BL-1 (380-84261-1) W6001	100	1	1060	6	0.06	0.177	None Detected	0	<.18	0.0	<0.65
-----------------------------	-----	---	------	---	------	-------	------------------	---	------	-----	-------

Sample ozonated prior to analysis due to lab receipt time exceeding 48 hr method hold time.

CROC = crocidolite
mm = millimeter

MAXIMUM CONTAMINANT LEVEL: 7 MFL

For the current states of certification please refer to the website: www.EurofinsUS.com/CEI

APPROVED BY: Tianbao Bai
Tianbao Bai, Ph.D., CIH
Laboratory Director

Client Information					
Company: Tribeca Beverages					
Address: 23 Carol Street					
City: Clifton					
State, Zip: NJ, 07014					
Phone:					
Email: info@tribecabeverage.com					
Project Name: 50-State Annual Test					
Site:					
Due Date Requested:					
TAT Requested (days):					
Compliance Project: Δ Yes Δ No					
PO #: Purchase Order not required					
WO #:					
Project #: 38005087					
SSOW#:					
Sample Identification					
Sample Date					
Sample Time					
Sample Type (C=comp, G=grab)					
Matrix (W=waste, S=solid, O=wastewater, BT=tissue, A=air)					
Preservation Code:					
Bottled Water					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
331.0_PREC - Perchlorate					
4500_CN_F - Cyanide					
NO2NO3_Calc - Local Method					
524.2_Pres_PREC - SDWA					
525.2_PREC - Plus					
515.4_PREC - 50 State					
531.2_PREC - @ML531.2 (Full List)					
547_PREC - Local Method					
1613B_IDA - TCDD					
218.6_Prs_DW_OF - Hexavalent Chromium					
5M2651B - 50 State					
537.1_DW_PREC - 537.1 Full List					
200.7_SDWA, 200.8_Hg, 200.8_SDWA					
Total Number of containers					
Special Instructions/Note:					
Other:					
Z - other (specify)					
Y - Trizma					
K - EDTA					
W - pH 4-5					
V - MCAA					
U - Acetone					
H - Ascorbic Acid					
G - Amchlor					
S - H2SO4					
R - Na2SO3					
Q - Na2SO3					
P - Na2O4S					
O - AsNaO2					
N - None					
M - Hexane					
Preservation Codes:					
L - EDA					
J - DI Water					
I - Ice					
T - TSP Dodecahydrate					
F - MeOH					
E - NaHSO4					
D - Nitric Acid					
C - Zn Acetate					
B - NaOH					
A - HCL					
Carrier Tracking No(s):					
380-55624-15592.2					
Page: Page 2 of 3					
Job #:					
Analysis Requested					
Lab PM: Gutierrez, Jeannette					
E-Mail: Jeannette.Gutierrez@et.eurofinus.com					
State of Origin:					
Carrier Tracking No(s):					
380-55624-15592.2					
COG No:					
380-55624-15592.2					

Ver: 01/16/2019

Eurofins Eaton Analytical Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone (626) 388-1100

Chain of Custody Record



Environment Testing

Client Information		Lab PM		Carrier Tracking No(s)		COC No:	
Client Contact: Mike Zonin		Gutierrez, Jeannette				380-55624-15592.1	
Company		E-Mail: Jeannette.Gutierrez@eurofins.com		State of Origin		Page	
Tibeca Beverages		PWSID		Analysis Requested		Job #:	
Address: 23 Carol Street Clifton NJ, 07014 Phone: info@tibecabeverage.com		Due Date Requested: TAT Requested (days)		300_OF_280_PREC, 300_OF_49H_PREC, 4500_F_C		Preservation Codes	
Compliance Project: ☐ Yes ☒ No		Purchase Order not required		9215B_8H, 9223B_C1Q18_DW, 9223B_CQ18_DWFC		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - Nitric Acid F - NaOH G - Ascorbic Acid H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other	
Project #: 38005087		WC #		524_2_TTHM_Sum - Total Trihalomethanes		M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - PH 4-S X - Nitrate Z - other (specify)	
Site		SSOW#		524_2_TTHM_Sum - Total Trihalomethanes		Special Instructions/Note:	
Sample Identification		Sample Date		Sample Time		50 State Annual	
BL-1		02/19/24		10 10		C Bottled Water	
Sample Type		Sample Time		Sample Time			
Matrix		Matrix		Matrix			
317 - Bromate		317 - Bromate		317 - Bromate			
2320B, SM4500_H+		2320B, SM4500_H+		2320B, SM4500_H+			
2540C, Calcd - Total Dissolved Solids		2540C, Calcd - Total Dissolved Solids		2540C, Calcd - Total Dissolved Solids			
180_1, 2120B, SM2150_Odor_B		180_1, 2120B, SM2150_Odor_B		180_1, 2120B, SM2150_Odor_B			
504_1, PPREC, 505_PPREC		504_1, PPREC, 505_PPREC		504_1, PPREC, 505_PPREC			
549_2, PPREC - Diquat & Paraquat		549_2, PPREC - Diquat & Paraquat		549_2, PPREC - Diquat & Paraquat			
548_1, PPREC - Roulime		548_1, PPREC - Roulime		548_1, PPREC - Roulime			
300_OF_14D_B - Chlorite		300_OF_14D_B - Chlorite		300_OF_14D_B - Chlorite			
SM6251B_THA_Sum - Local Method		SM6251B_THA_Sum - Local Method		SM6251B_THA_Sum - Local Method			
524_2_TTHM_Sum - Total Trihalomethanes		524_2_TTHM_Sum - Total Trihalomethanes		524_2_TTHM_Sum - Total Trihalomethanes			
4500_CL_G, 4500_CL_G_FC, 4500_C1O2_D		4500_CL_G, 4500_CL_G_FC, 4500_C1O2_D		4500_CL_G, 4500_CL_G_FC, 4500_C1O2_D			
9215B_8H, 9223B_C1Q18_DW, 9223B_CQ18_DWFC		9215B_8H, 9223B_C1Q18_DW, 9223B_CQ18_DWFC		9215B_8H, 9223B_C1Q18_DW, 9223B_CQ18_DWFC			
300_OF_280_PREC, 300_OF_49H_PREC, 4500_F_C		300_OF_280_PREC, 300_OF_49H_PREC, 4500_F_C		300_OF_280_PREC, 300_OF_49H_PREC, 4500_F_C			
Total Number of Containers		Total Number of Containers		Total Number of Containers			
380-84261 COC		380-84261 COC		380-84261 COC			
Possible Hazard Identification		Possible Hazard Identification		Possible Hazard Identification			
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological		☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological		☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological			
Deliverable Requested I, II, III, IV, Other (specify)		Deliverable Requested I, II, III, IV, Other (specify)		Deliverable Requested I, II, III, IV, Other (specify)			
Empty Kit Relinquished by		Empty Kit Relinquished by		Empty Kit Relinquished by			
Relinquished by		Relinquished by		Relinquished by			
MILWAUKEE ZONIN		MILWAUKEE ZONIN		MILWAUKEE ZONIN			
Date/Time:		Date/Time:		Date/Time:			
02/19/24 10 15		02/19/24 10 15		02/19/24 10 15			
Relinquished by		Relinquished by		Relinquished by			
Date/Time:		Date/Time:		Date/Time:			
02/19/24 10 15		02/19/24 10 15		02/19/24 10 15			
Relinquished by		Relinquished by		Relinquished by			
Date/Time:		Date/Time:		Date/Time:			
02/19/24 10 15		02/19/24 10 15		02/19/24 10 15			
Custody Seal No		Custody Seal No		Custody Seal No			
143-0.2-14.1 (630A190)		143-0.2-14.1 (630A190)		143-0.2-14.1 (630A190)			
Ver 01/16/2019		Ver 01/16/2019		Ver 01/16/2019			

Pablo Casasola
FEAP 2/26/24 1245



Chain of Custody Record

[illegible]